






art.
465


design **A. Dolcetti**

OHIM:
patent No.
000346366-0003



down light
or up light

corpo **alluminio pressofuso**
body **in die casting aluminium**
corps **en aluminium moulé**
sous pression
cuerpo **aluminio inyectado**
Körper **aus Aluminium-**
Druckguss






diffusore **vetro trasparente**
diffuser **glass transparent**
diffuser **verre transparent**
difusor **vidrio transparente**
Diffuser **Glas klar**



up and
down light

For technical details visit
www.landa.it

IP66



EASY INSTALLATION



Art.		W	V	Type		LUX
465LS3X1				6300°K 240LM		3180
465LS3X1H				3200°K 190LM		2500
465LS3X1B		10°	1 X 3	240	66LM	900
465LS3X1R					144LM	1900
465LL3X1				6300°K 240LM		320
465LL3X1H				3200°K 190LM		250
465LL3X1B		45°	1 X 3	240	66LM	90
465LL3X1R					144LM	190
465GU10X1		1 X 14		Megaman GU10		
		1 X 7		Master spot led GU10		
465GU5.3X1		1 X 35	12	halogen GU5,3		
		1 X 4		Master spot led GU5,3		


Art.		W	V	Type		LUX
465LS3X2				6300°K 240LM		3180
465LS3X2H				3200°K 190LM		2500
465LS3X2B		10°+10°	2 X 3	240	66LM	900
465LS3X2R					144LM	1900
465LL3X2				6300°K 240LM		320
465LL3X2H				3200°K 190LM		250
465LL3X2B		45°+45°	2 X 3	240	66LM	90
465LL3X2R					144LM	190
465LM3X2				6300°K 240LM	3180/320	
465LM3X2H				3200°K 190LM	2500/250	
465LM3X2B		45°+10°	2 X 3	240	66LM	900/90
465LM3X2R					144LM	1900/190
465GU10X2		2 X 7		Megaman GU10		
		2 X 3		Master spot led GU10		
465GU5.3X2		2 X 35	12	halogen GU5,3		
		2 X 4		Master spot led GU5,3		

ELECTRIFICATION

LED

dettagli /
details / details
detalles / details:
page 4-5





lyra 80



Accessories:



code 00K465.02
Reflector for art. 465



code 00K465.01
Visor for art. 465

art.
466
467
468

design **A. Dolcetti**


OHIM:
patent No.
000346366-0003

corpo **alluminio pressofuso**
body **in die casting aluminium**
corps **en aluminium moulé**
sous pression
cuerpo **aluminio inyectado**
Körper **aus Aluminium-
Druckguss**




diffusore **vetro trasparente**
diffuser **glass transparent**
diffuser **verre transparent**
difusor **vidrio transparente**
Diffuser **Glas klar**





466



467



468




Art.	Art.	Art.		W	V	Type	LUX
466LS3	467LS3	468LS3				6300°K 240LM	3180
466LS3H	467LS3H	468LS3H				3200°K 190LM	2500
466LS3B	467LS3B	468LS3B		10°	3	66LM	900
466LS3R	467LS3R	468LS3R				144LM	1900
466LL3	467LL3	468LL3				6300°K 240LM	320
466LL3H	467LL3H	468LL3H				3200°K 190LM	250
466LL3B	467LL3B	468LL3B		45°	3	66LM	90
466LL3R	467LL3R	468LL3R				144LM	190
466GU10	467GU10	468GU10		1 X 14		Megaman GU10	
				1 X 7		Master spot led GU10	
466GU5.3	467GU5.3	468GU5.3		1 X 35	12	halogen GU5,3	
				1 X 4		Master spot led GU5,3	

For technical details visit
www.landa.it

IP66

ELECTRIFICATION
LED
dettagli /
details / details
detalles / details:
page 4-5





lyra 80



Accessories:



code 00K465.02
Reflector for
art. 466-467-468



code 00A465
Mounting spike for
art. 466-467



code 00K465.01
Visor for
art. 466-467-468